



SARAS 4.0







School Affiliation Re-Engineered Automation System

APPENDIX -IX

MANDATORY PUBLIC DISCLOSURE

	INFORMATION	DETAILS
10.	IN ON MATION	
	NAME OF THE SCHOOL	DELHI PUBLIC SCHOOL
	AFFILIATION NO.(IF APPLICABLE)	1530043
	SCHOOL CODE (IF APPLICABLE)	15347
8	COMPLETE ADDRESS WITH PIN CODE	SECT-14, ROURKELA, DIST- SUNDARGARH, ODISHA - 769009
	PRINCIPAL NAME	SIDHARTHA RATHA
	PRINCIPAL QUALIFICATION	M.Sc, B.Ed
0)	SCHOOL EMAIL ID	dpsrourkela@rediffamail.com
	CONTACT DETAILS (LANDLINE/MOBILE)	06612602351
DO	CUMENTS AND INFORMATION:	
	DOCUMENTS/INFORMATION	INKS OF UPLOADED DOCUMENTS ON YOUR SCHOOLS WEBSITE
10.	COPIES OF AFFILIATION/UPGRADATION LETTER AND RECENT EXTENSION OF AFFILIATION, IF ANY	https://www.dpsrkl.in/Mandatory%20Discluser/Affiliation_Letter.pdf
100	COPIES OF AFFILIATION/UPGRADATION LETTER AND RECENT EXTENSION OF	
10.	COPIES OF AFFILIATION/UPGRADATION LETTER AND RECENT EXTENSION OF AFFILIATION, IF ANY COPIES OF SOCIETIES/TRUST/COMPANY REGISTRATION/RENEWAL CERTIFICATE,	https://www.dpsrkl.in/Mandatory%20Discluser/Affiliation_Letter.pdf
	COPIES OF AFFILIATION/UPGRADATION LETTER AND RECENT EXTENSION OF AFFILIATION, IF ANY COPIES OF SOCIETIES/TRUST/COMPANY REGISTRATION/RENEWAL CERTIFICATE, AS APPLICABLE COPY OF NO OBJECTION CERTIFICATE (NOC) ISSUED, IF APPLICABLE, BY THE	https://www.dpsrkl.in/Mandatory%20Discluser/Affiliation_Letter.pdf https://www.dpsrkl.in/Mandatory%20Discluser/Trust_Society_Certificate.pd
	COPIES OF AFFILIATION/UPGRADATION LETTER AND RECENT EXTENSION OF AFFILIATION, IF ANY COPIES OF SOCIETIES/TRUST/COMPANY REGISTRATION/RENEWAL CERTIFICATE, AS APPLICABLE COPY OF NO OBJECTION CERTIFICATE (NOC) ISSUED, IF APPLICABLE, BY THE STATE GOVT./UT COPIES OF RECOGNITION CERTIFICATE UNDER RTE ACT, 2009, AND IT'S	https://www.dpsrkl.in/Mandatory%20Discluser/Affiliation_Letter.pdf https://www.dpsrkl.in/Mandatory%20Discluser/Trust_Society_Certificate.pd https://www.dpsrkl.in/Mandatory%20Discluser/No_Objection_Certificate.pd

COPY OF THE SELF CERTIFICATION SUBMITTED BY THE SCHOOL FOR AFFILIATION/UPGRADATION/EXTENSION OF AFFILIATION

https://www.dpsrkl.in

COPIES OF VALID WATER, HEALTH AND SANITATION CERTIFICATES

https://www.dpsrkl.in/Mandatory%20Discluser/Water_Health_Certificate.pdf

NOTE:

THE SCHOOLS NEEDS TO UPLOAD THE SELF ATTESTED COPIES OF ABOVE LISTED DOCUMETNS BY CHAIRMAN/MANAGER/SECRETARY AND PRINCIPAL. IN CASE, IT IS NOTICED AT LATER STAGE THAT UPLOADED DOCUMENTS ARE NOT GENUINE THEN SCHOOL SHALL BE LIABLE FOR ACTION AS PER NORMS.

C : RESULT AND ACADEMICS :

SL No.	DOCUMENTS/INFORMATION	LINKS OF UPLOADED DOCUMENTS ON YOUR SCHOOL'S WEBSITE
1	FEE STRUCTURE OF THE SCHOOL	https://www.dpsrkl.in/Mandatory%20Discluser/Fee_Structure_2324.pdf
2	ANNUAL ACADEMIC CALENDER	https://www.dpsrkl.in/Mandatory%20Discluser/Annual_Academic_Calender.pdf
3	LIST OF SCHOOL MANAGEMENT COMMITTEE (SMC)	https://www.dpsrkl.in/Mandatory%20Discluser/School_Management_Committee_27072023.pdf
4	LIST OF PARENTS TEACHERS ASSOCIATION (PTA) MEMBERS	https://www.dpsrkl.in
5	LAST THREE-YEAR RESULT OF THE BOARD EXAMINATION AS PER APPLICABILITY	https://www.dpsrkl.in/Mandatory%20Discluser/Rsult_of_Last_3Years.pdf

D: STAFF (TEACHING):

SL	The second second	DETAILS	
1	PRINCIPAL	SIDHARTHA RATHA	
2	TOTAL NO. OF TEACHERS	97	
	PGT	17	
	TGT	35	
	PRT	30	
3	TEACHERS SECTION RATIO	1:15	
4	DETAILS OF SPECIAL EDUCATOR	Rasmita Das, Spl.B.Ed	
5	DETAILS OF COUNSELLOR AND WELLNESS TEACHER	Subhashree Swain, B.Ed	
RESU	LT CLASS: X		

SI. NO	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1	2023	293	290	98.98	
ESUI	T CLASS: XII				
SL NO	YEAR	NO OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1	2023	299	256	85.61	
SL NO	INFORMATION	DN		DETAILS	
1	TOTAL CAM	PUS AREA OF THE SCHO	OOL (IN SO MTP)	FACOT	
			OOL (III OQ WITH)	54227	
2	NO. AND SIZ	E OF THE CLASS ROOM		42 & 55	
2		E OF THE CLASS ROOM	IS (IN SQ MTR)	42 & 55	
3	NO. AND SIZ	E OF THE CLASS ROOM E OF LABORATORIES IN MTR)	IS (IN SQ MTR)	42 & 55	
3	NO. AND SIZ LABS (IN SQ	E OF THE CLASS ROOM E OF LABORATORIES IN MTR) ACILITY	IS (IN SQ MTR)	42 & 55 R 8 & 134	
	NO. AND SIZ LABS (IN SQ INTERNET FA	E OF THE CLASS ROOM E OF LABORATORIES IN MTR) ACILITY S TOILETS	IS (IN SQ MTR)	42 & 55 R 8 & 134 YES	

COVERING THE INFRASTRUCTURE OF THE SCHOOL